

\$67.40

1

▲▼

Add To Cart

Item# RMA-5

CUSTOMIZATION
AVAILABLE

RMA-5

2" (51 mm) Polycarbonate SERIES RM
RATE-MASTER®Variable Area
Flowmeter

★★★★★ 5.0 (1)



Click and hold to zoom

0 In Stock

Lead Time (If not in stock): 2 weeks

+ Add to Project List

Print

See Specs

Product Specs		<< See all Product Models
Brand		
Accuracy	± 4 %	
Applications	Chemicals, Environmental Monitoring, Medical	
Compliance	RoHS 2	
Compliance Note	Meets the technical requirements of EU Directive 2011/65/EU (RoHS II)	
Dual Range	No	
Gas Flow, Max	10 SCFH	
Gas Flow, Min	1 SCFH	
Liquid Flow, Max	0 m³/s	
Material Construction Option	N/A	
Materials, Wetted	Aluminum, Buna-N (NBR), Polycarbonate, Stainless Steel	

Choose a Variant

Gas Flow, Max: 10 SCFH

10 SCFH

0.4 SCFH

200 SCFH

200 cm³/min

500 cm³/min

See More

Process Connection Size: 1/8 in

1/8 in

1/4 in

Valve Type: No Valve

No Valve

Stainless Steel Valve

See All Models

See All Accessories

Media Compatibility	Air
Operating Temperature, Max	130 °F
Process Connection Size	1/8 in
See All Specs +	

Are these specs helpful?  

PDFs & Manuals

RM - Datasheet

RM - Instruction Manual - RM

RM - Instruction Manual - RKA

View More



Drawings



RM_DD_dwg_dwg



RM_DD_pdf_pdf



RMA_STEP_stepformats

View More



Accessories

100042-00	Optional pointer flag, for RMA flowmeter	\$10.85	0 In Stock	QTY	1	Add To Cart
100043-00	Optional pointer flag, for RMB flowmeter	\$11.40	0 In Stock	QTY	1	Add To Cart
100044-00	Optional pointer flag, for RMC flowmeter	\$11.20	0 In Stock	QTY	1	Add To Cart
RK-RMB	Regulator Kits for Rate-Master® & Visi-Float® Flowmeters, 3 psig DP	\$340.45	0 In Stock	QTY	1	Add To Cart
RKA	Regulator Kits for Rate-Master® & Visi-Float® Flowmeters, 3 psig DP	\$340.45	0 In Stock	QTY	1	Add To Cart

Show Ratings & Reviews

 5.0 (1)