

https://www.flexbar.com/products/countersink-gages?_pos=1&_sid=040c80f6c&_ss=r&variant=19897454919750



Countersink Gages

- **Details**

- Direct reading gage designed to measure the top (major) countersink diameter.
- Guaranteed accuracy: $\pm .0005"$ ($\pm .015\text{mm}$).
- Full-round conically ground exact (dedicated) angle Gaging Plunger instantly alerts operator of incorrect countersink angle.
- Base Plate designed for use on any flat, concave or convex surface.
- Peak Hold mechanism for one hand operation.
- FURNISHED WITH CALIBRATED SETTING RING, FOAM CASE AND OPERATING INSTRUCTION.
- Made in U.S.A.

- **Dimensions**

MODEL NO.	C'SINK ANGLE	CAPACITY		
18442	82°	.020"	to	.170"
18443	82°	.160"	to	.360"
18444	82°	.360"	to	.560"
18445	82°	.560"	to	.780"
18446	82°	.780"	to	.980"
18447	82°	.980"	to	1.180"
18448	90°	.020"	to	.170"
18449	90°	.160"	to	.360"
18450	90°	.360"	to	.560"
18451	90°	.560"	to	.780"
18452	90°	.780"	to	.980"
18453	90°	.980"	to	1.180"
18454	100°	.020"	to	.170"
18455	100°	.160"	to	.360"
18456	100°	.360"	to	.560"
18457	100°	.560"	to	.780"
18458	100°	.780"	to	.980"
18459	100°	.980"	to	1.180"
18460	110°	.020"	to	.170"
18461	110°	.160"	to	.360"
18462	110°	.360"	to	.560"
18463	110°	.560"	to	.780"
18464	110°	.780"	to	.980"
18465	110°	.980"	to	1.180"
18466	120°	.020"	to	.170"
18467	120°	.160"	to	.360"
18468	120°	.360"	to	.560"
18469	120°	.560"	to	.780"
18470	120°	.780"	to	.980"
18471	120°	.980"	to	1.180"

