



SPAN

Industrial Vacuum Gauge: 30 to 0 in Hg, 2 1/2 in Dial, Liquid-Filled, 1/4 in NPT Male, Bottom

Item #5ULR0

Mfr. LFS-210-
Model #30Hg-G-CERT

UNSPSC #41112406

Catalog Group #D7962

Catalog Page #569

Country of Origin USA. Country of Origin is subject to change.

Web Price

\$71.57 / each

Qty
1

Add to Cart

☒ Ship
 ☐ Pickup

Ships from supplier.
Expected to arrive by end of Sep, 2022.

Ship to 78613 | [Change](#)

Shipping Weight 0.8 lbs

[Ship Availability Terms](#)

[Add to List](#)

Technical Specs

Item	Industrial Vacuum Gauge	IP/NEMA Rating	IP65, NEMA 4X
Nominal Dial Size	2 1/2 in	Primary Pressure Range	30 to 0
Accuracy	+/-1.0%	Dry Dampening Feature	None
Gauge Case Material	Zytel Nylon	Vibration Resistance	Liquid-Filled
Process Connection Type	NPT	Dial Color	White
Process Connection Gender	Male	Pressure Gauge Type	Industrial Pressure Gauge
Lens Material	Acrylic	Liquid-Filled Case	Yes
Process Connection Size	1/4 in	Gauge Case Liquid	Glycerin
Field Fillable	No	Panel-Mountable	No
Process Connection Location	Bottom	Socket Material	Brass
Case Color	Black	Sensor Material	Phosphor Bronze

Case Color	Black
Series	LFS-210
Application	Fire Monitoring, Hydraulics, Marine, Military, Transportation, Waste Water or Slurry, Water Purification or Irrigation
Primary Scale Units	in Hg
Accuracy Scale	Mid-Scale
Ambient Operating Temperature Range	-40 Degrees to 150 Degrees F
Bezel Material	Zytel Nylon
Bezel Mounting Type	Removable
Blowout Safety Back	No
Case Construction	Corrosion Resistant
Case Depth	1.41 in
Case Diameter	2.8 in
Cleaned for Oxygen Service	No
Dial Face Material	Aluminum
Freeze Resistant Movement	No
Hazardous Location Rating	Not Rated

Accuracy Grade	ANSI/ASME B40.1 Grade 1A
Includes	Pulsation Restrictor
Includes Calibration Certificate	NIST with Data
Includes Mounting Hardware	No
Includes Vent Plug	No
Mounting Type	Stem-Mount
Movement Material	Copper Alloy
Movement Type	Swiss
Non-Sparking	No
Pointer Color	Black
Pointer Material	Aluminum
Pressure Range Type	Vacuum
Primary Scale Minor Graduations	0.5
Primary Scale Numeric Increments	5
Removable Bezel	Yes
Scale Type	Single
Sensor Type	Bourdon Tube
Standards	ANSI/ASME

Compliance and Restrictions

 WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov


Chat with an Agent

