

Gallery

Videos

Product Feature

Item No.	Max. Operation Torque (ft-lb)	Square Drive (inches)	Length (mm)
2884762	100.0	3/8	415
2884763	250.0	1/2	350
All Models			
Torque Accuracy *1	CW : ±3%		
Angle Accuracy *2	±/± 3° (rotating 90°at speed of 30°/sec)		
Data memory size	50 Slots		
Number of Presets	9		
Operation Mode	Track/Peak hold		
Unit	N-m, in-lb, ft-lb, kg-cm, " " "		
Head Type	Lever Type Ratchet		
Gear Teeth	36		
Button	5		
Battery	AA x 2		
Electromagnetic compatibility test	Pass		



Item No.	Max. Operation Torque (ft-lb)	Square Drive (inches)	Length (mm)
2884762	100.0	3/8	415
2884763	250.0	1/2	350
All Models			
Torque Accuracy *1	CW : $\pm 3\%$		
Angle Accuracy *2	$\pm 3^\circ$ (rotating 90° at speed of $30^\circ/\text{sec}$)		
Data memory size	50 Slots		
Number of Presets	9		
Operation Mode	Track/Peak hold		
Unit	N-m, in-lb, ft-lb, kg-cm, " " "		
Head Type	Lever Type Ratchet		
Gear Teeth	36		
Button	5		
Battery	AA x 2		
Electromagnetic compatibility test	Pass		



Item No.	Max. Operation Torque (ft-lb)	Square Drive (inches)	Length (mm)
2884762	100.0	3/8	415
2884763	250.0	1/2	350
All Models			
Torque Accuracy *1	CW : ±3%		
Angle Accuracy *2	±/± 3° (rotating 90°at speed of 30°/sec)		
Data memory size	50 Slots		
Number of Presets	9		
Operation Mode	Track/Peak hold		
Unit	N-m, in-lb, ft-lb, kg-cm, " " "		
Head Type	Lever Type Ratchet		
Gear Teeth	36		
Button	5		
Battery	AA x 2		
Electromagnetic compatibility test	Pass		



Item No.	Max. Operation Torque (ft-lb)	Square Drive (inches)	Length (mm)
2884762	100.0	3/8	415
2884763	250.0	1/2	350
All Models			
Torque Accuracy *1	CW : $\pm 3\%$		
Angle Accuracy *2	$\pm 3^\circ$ (rotating 90° at speed of $30^\circ/\text{sec}$)		
Data memory size	50 Slots		
Number of Presets	9		
Operation Mode	Track/Peak hold		
Unit	N-m, in-lb, ft-lb, kg-cm, " " "		
Head Type	Lever Type Ratchet		
Gear Teeth	36		
Button	5		
Battery	AA x 2		
Electromagnetic compatibility test	Pass		

