



Home (/) > ET4007N2S3 | Electric Screwdriver 27-60 In Lb

Ingersoll Rand ET4007N2S3 | Electric Screwdriver 27-60 In Lb



\$1,326.69 Was ~~\$1,932.00~~
Save 31% (\$605.31)

-	1	+
---	---	---

ADD TO CART

ADD TO QUOTE

Details



Electric Screwdriver 27-60 In Lb

Features:

- Torque Readout Window - This convenient feature provides instant confirmation of torque output setting. Removable Contoured Flange
- Torque Adjustment Cover - The contoured, slanted flange follows the shape of the user's hand and doubles as a torque adjustment cover. It solves the problem of unauthorized torque setting changes. With the VersaTec Screwdriver, only a technician using a special tool can reset the torque from the exterior. Yet the cover itself is removable, a convenience when it comes to repair or for torque adjustment by hand.
- Soft Touch Grip - The unique, egg-shaped grip allows users to hold the tool comfortably without excess force. Engineered to fit almost every hand size, the grip is made from a composite material that provides a soft texture and maintains a relatively constant temperature for comfort and control throughout a shift.
- Brush Replacement Light - The brush replacement light illuminates while the tool is rotating to indicate service required at the next shift, promoting good tool maintenance.
- Easy Forward/Reverse - Only one hand is needed to change direction. The forward/reverse toggle is easily accessible, activated smoothly by either the left or right hand. Competitive models require two-handed changes in direction.
- Innovative Cord Connector - Easy Removal: The electric power cord, available in a straight or coiled version, is easily detached from the tool by loosening the threaded retainer. Dual Positioning: The cord can be attached either at the top or the side. This means that in whatever position the tool is being used, the cord stays out of the way of the operator and the work.
- Two-Finger Lever The two-finger lever distributes pressure and provides notable ergonomic benefits in continuous use applications.

1 Year Warranty (Parts & Labor)



IMAGE NOT FOUND

(http://www.flexibleassembly.com/core/media/media.nl?id=690&c=337772&h=27e9e5983cbbdee27417&_xt=.pdf)

[Click Here For Technical Information](#)

 **Warning:** California Proposition 65 ([/california-proposition-65](#))



GET YOUR TOOL UNDER OUR FLEX WARRANTY!

WE WILL FIX IT OR REPLACE IT.

FLEX Warranty keeps your tools safe when
manufacturer warranties come up short.
Bad luck deserves good coverage.

*Manufacturer warranty only cover you for
so long. FLEX Warranty extends and
enhances your coverage for up to two years.

☐ Add Warranty item

Technical Information

Technical Specifications



Manufacturer	Ingersoll Rand
Stock Code	C (/return-policy)
Drive size	1/4" hex
Length (In)	16.64
Max Free Speed (rpm)	800
Power Source	115VAC
Torque Range (In Lbs)	27 - 60
Torque Range (Nm)	3.0 - 6.8
Weight	2.2 lbs

Frequently Asked Questions

What is the torque range of the ET4007N2S3? ▼

The ET4007N2S3 has a torque range from 27 to 60 in lbs (3.0 - 6.8 Nm).
Did you know that the average max torque range of an Electric Torque Screwdriver can range from 3 - 5 Nm or 27 - 45 in lbs?

What type of application is the ET4007N2S3 best suited for? >

How do I set the torque on the ET4007N2S3? >

SEE MORE QUESTIONS



You have different questions?

We are available and ready to hear from you on what you need!

START LIVE CHAT

We Also Recommend



(/FAS-TS30)
**FAS-TS30 | 30 Inch
Workstation Arm**
(/FAS-TS30)

\$99.99

Reviews

No reviews available

Be the first to

WRITE
A
REVIEW (/ET4007N2S3/NEWREVIEW)

Back to Top



FREE SHIPPING on web orders over \$999.99 [more info \(/shipping-information\)](#)

Contact & Social Media



(<https://www.linkedin.com/company/544682/>)



(<https://www.facebook.com/FlexibleAssembly>)



(https://www.youtube.com/channel/UCw_hfakE8Tm1b0Jf)



(<https://www.twitter.com/FlexToolbox/>)

Flexible Assembly Systems, Inc. (/)

8220 Arjons Drive
San Diego, California 92126
United States of America
(619) 287-7000 (tel:619287700)
[Careers \(/career-opportunities\)](#)
[Contáctanos \(/en-espanol\)](#)
[Service & Calibration \(/repair-service\)](#)

[Contact Us \(/contact-us\)](#)

[Knowledge Base \(https://flexibleassembly-knowledgebase.com\)](https://flexibleassembly-knowledgebase.com)

Product Categories

[Assembly Tools & Instrumentation \(/assembly-tools-instrumentation\)](#)
[Industrial Tools & Equipment \(/industrial-tools-supply\)](#)
[Automation Components \(/automation-components-supply\)](#)
[Robotic Engineered Solutions \(/robotic-engineered-solutions\)](#)
[Construction Tools \(/industrial-tools-supply/construction-tools\)](#)
[Soldering Equipment \(/assembly-tools-instrumentation/soldering-equipment\)](#)
[Electric Torque Screwdrivers \(/assembly-tools-instrumentation/assembly-tools/electric-torque-screwdriver\)](#)
[Programmable Tools \(/assembly-tools-instrumentation/assembly-tools/programmable-torque-tools\)](#)
[Warehouse Equipment \(/industrial-tools-supply/warehouse-equipment\)](#)
[Laboratory Equipment \(/industrial-tools-supply/laboratory-equipment\)](#)
[Shop by Brand \(/brands\)](#)

Company Information

[About Us \(/about-us\)](#)
[Government & Military \(/government-military\)](#)
[Terms & Conditions \(/terms-and-conditions\)](#)
[Price Match Policy \(/price-match-policy\)](#)
[CA Prop 65 \(/california-proposition-65\)](#)
[Flex Warranty \(/flex-warranty\)](#)
[Material Safety Data Sheets \(/MSDS\)](#)

[Why Flexible? \(/why-flexible-assembly\)](#)
[Privacy Policy \(/privacy-policy\)](#)
[Disclaimer \(/company-disclaimer\)](#)
[Supplier Code of Conduct \(/supplier-code-of-conduct\)](#)
[Return Policy \(/return-policy\)](#)
[UC Davis Partnership \(/uc-davis-partnership\)](#)



(/) © 2023 Flexible Assembly Systems, Inc.