

Products Based on Your Search



CONDOR Safety Glasses:
Uncoated, No Foam...

Web Price *i*
\$1.83 / each



HONEYWELL NORTH
Disposable Emergency...

Web Price *i*
\$42.54 / each



HANDI-FOAM Insulating
Spray Foam Insulation...

Web Price *i*
\$80.48 / each

Related Categories



Light-Duty General Purpose
Pressure Gauges



Light-Duty Pressure
Gauges



Pressure & Vacuum Gauges

[Product Categories](#) / [Test Instruments](#) / [Pressure & Vacuum Measurement](#) / [Pressure & Vacuum Gauges](#) /
[Light-Duty Pressure Gauges](#) / [Light-Duty General Purpose Pressure Gauges](#) / [GRAINGER APPROVED Commercial Pressure...](#)



GRAINGER APPROVED
Commercial Pressure
Gauge: 0 to 1,000 psi, 2 in
Dial, 1/4 in BSPT, Bottom,
Plastic

Item **4EFA5** Mfr. Model **4EFA5**

Product Details Catalog Page **571** Catalog Group **D1385**

Pressure Gauge Type **Commercial Pressure Gauge**

Pressure Range Type **Pressure**

Scale Type **Dual**

Pressure Range **0 to 1,000 psi**

Secondary Range **0 to 7,000 kPa**

Nominal Dial Size **2 in**

Process Connection Location **Bottom**

Process Connection Size **1/4 in**

Process Connection Type **BSPT**

Web Price *i*
\$10.43 / each

Qty

1

Add to Cart

☒ Ship

☐ Pickup

Expected to arrive **Tue. Jan 17.**
Ship to **78613** | [Change](#)

Shipping Weight **0.1 lbs**
[Ship Availability Terms](#)

[Add to List](#)

Compliance & Restrictions

 **WARNING:** Cancer and
Reproductive Harm -
www.P65Warnings.ca.gov

Documents

 Chat with an Agent

Brand	GRAINGER APPROVED
Case Material	Plastic
Gauge Application	General-Purpose Case
Gauge Wetted Parts	Brass / Bronze
Lens Material - Gauge	Plastic
Primary Pressure Range	0 to 1,000
Primary Scale Minor Graduations	1; 2
Primary Scale Units	psi
Process Connection	1/4 in BSPT
Secondary Pressure Range	0 to 7,000
Secondary Scale Units	kPa
Mounting Type	Stem-Mount
Wetted Parts Material	Brass/Bronze
Gauge Case Material	ABS Plastic
Case Color	Black
Lens Material	Polycarbonate
Accuracy	±3-2-3%
Accuracy Scale	Mid-Scale
Primary Graduations	1; 2
Ambient Operating Temperature Range	-4° to 158°F
Dial Color	White
Removable Bezel	No
Application	Test and Measurement
IP/NEMA Rating	Not Rated
Blowout Safety Back	No
Includes Vent Plug	No
Cleaned for Oxygen Service	No
Dry Dampening Feature	None
Field Fillable	No
Freeze Resistant Movement	No
Gauge Case Liquid	None
Hazardous Location Rating	Not Rated

 Alternate Products



PIC GAUGES Industrial Pressure Gauge: 0 to 1,000 psi, 2 in Dial, 1/4 in NPT Male, Bottom, Copper

Item 54XP15

Web Price 
\$5.98 / each

Qty

1

Add to Cart

Includes Calibration Certificate	No
Includes Mounting Hardware	No
Liquid-Filled Case	No
Non-Sparking	No
Panel-Mountable	No
Sensor Material	Bronze
Socket Material	Brass
Vibration Resistance	None
Manufacturer Part Number	4EFA5
UNSPSC	41112403
Country of Origin	China (subject to change)

Product Description
These utility gauges have back or bottom threaded connections. They are used for most general purpose pressure measurement and monitoring applications.

 Compatible Products