



FEELER GAUGE SET

Measuring Range: 0.001 - 0.04inch (0.03 - 1mm)

- Accurate manufacturing, accurate scale, millimeter and inch double scale, micro error
- Multi-application: tappet clearances, spark plug gaps, distributor points, bearing clearances, piston ring gaps




Spurtar Tapered Feeler Gauge Dual Marked Steel Feeler Gauges Metric and Imperial Gap Measuring Tool (0.03-1mm, 32 Blades)

The tapered end works well with those hard-to-get-to-valve tappets and buckets on performance motorcycles, ATV's, and UTV's valve adjustment needs.

Dual marked 32 blades feeler gauge set is suitable for designers, engineers, and mechanics to measure the thickness of tappet clearances, spark plug gaps, bearing clearances and other hard to reach places.

Specifications:

- Blades: 32 Blades
- Material: #65 manganese steel
- Imperial Measurement: 0.001inch to 0.04inch
- Metric Measurement: 0.03mm to 1mm
- Package: 1 x Feeler Gauge



✓ Tapered 32-blade feeler gauge spark plug gap tool used to adjust valve clearances

✓ Blades have a tapered tip for easier access to valve tappets and buckets in tight areas

✓ Dual marked with metric (mm) and inch reading thickness gauge

✓ Constructed from tempered steel for durable usage with a lube oil coating to prevent pitting and corrosion.

✓ Constructed from tempered steel with a lube oil coating to prevent pitting and corrosion.

✓ Material: 65 Manganese Stainless Steel Anti Rust



Measurement Range

Inch Size: 0.001, 0.0015, 0.002, 0.0025, 0.028, 0.003, 0.0035, 0.004, 0.005, 0.006, 0.007, 0.008, 0.009, 0.01, 0.011, 0.012, 0.013, 0.014, 0.015, 0.016, 0.18, 0.02, 0.022, 0.024, 0.025, 0.026, 0.028, 0.03, 0.032, 0.034, 0.036, 0.040

Metric Size: 0.03mm, 0.04mm, 0.05mm, 0.06mm, 0.07mm, 0.08mm, 0.09mm, 0.10mm, 0.13mm, 0.15mm, 0.18mm, 0.20mm, 0.23mm, 0.25mm, 0.28mm, 0.30mm, 0.33mm, 0.35mm, 0.38mm, 0.40mm, 0.45mm, 0.50mm, 0.55mm, 0.60mm, 0.63mm, 0.65mm, 0.70mm, 0.75mm, 0.80mm, 0.85mm, 0.90mm, 1.00mm

ATTENTION

1. Please clean up the machine before measuring.
2. Do not measure when the machine in a high temperature.
3. The error of measurement is within 0.0008inch to 0.040inch.
4. The feeler gauge comes with oil coating on the surface for rust-resistant.

<https://www.amazon.com/Spurtar-Stainless-Measurement-0-001-0-04-0-03-1-00mm/dp/B07B3TQQSV>